



DISTRIBUTED BY:

Sedulitas

PEOPLE | PASSION | PRECISION

info@sedulitas.co.za +27 (0)82 551 4001

www.sedulitas.co.za

**PAINTING &
COATING RANGE**



Protecting you for life's *best* moments.

Protecting you for life's best moments.

The everyday moments, the ones that make you smile, your drive in life.



Protecting you for life's best moments.

RPB Painting & Coating Range

At RPB, we seek to revolutionize how you experience your workday by creating respiratory protective equipment that makes you safer and more comfortable, which enables you to push the boundaries of your profession and get more out of your day.

In our mission to protect you for life's best moments, we've grown to become the commanding power in respiratory protection across heavy industries with over 40 years experience helping you to breathe better.

The RPB Painting and Coating range is the world's most advanced protection for industry professionals, consisting of supplied and powered air respirators, air monitoring and filtration systems and safety essentials. RPB takes care of your safety, so you can focus on the task at hand.



POWERED AIR
Page 26



SUPPLIED AIR
Page 34



Z-LINK®
Page 20



T-LINK®
Page 8



T200™
Page 14



Protecting you for life's best moments.

NO SMO

Product Comparison



T-LINK®



T200™



Z-LINK®

Air supply	SAR or PAPR	SAR or PAPR	SAR or PAPR
Respirator type	Painting/Coating	Painting/Coating	Painting/Coating
Available attachments and accessories	Comfort-Link™ Quiet-Link™ Comms-Link™ Vision-Link™ Peel-off lenses Cassette lenses Hard hat	Quiet-Slim™ Peel-off lenses Cassette lenses Bump Cap	Comfort-Link™ Quiet-Link™ Comms-Link™ Vision-Link™ Tear-off lenses
Head protection	Optional hard hat	Optional bump cap	Integrated hard hat
Hearing protection	Clip-in earmuffs	Compatible with earmuffs	Clip-in earmuffs
Eye protection	Optional safety lens	Optional safety lens	Yes
Cape/hood types	DuPont™ Tychem® 2000 DuPont™ Tychem® 4000	DuPont™ Tychem® 2000 DuPont™ Tychem® 4000	DuPont™ Tychem® 2000 DuPont™ Tychem® 4000
Assigned protection factor	1000	1000	1000
Ideal for	Paint, high levels of over-spray.	Paint, high levels of over-spray.	Low levels of over-spray. Heavy industry, foundry, rail industry.
Top-rated feature	Adjustable head protection provides comfort and ensures the hood moves with your head.	Movable lens positioning with a multiple adjustment point head harness for increased comfort and customizable fit.	Can be used for multiple applications.



Protecting you for life's **best** moments.



RPB® T-LINK® RESPIRATOR


Unrivalled respiratory protection.

The RPB T-Link has been designed to move with you, not against you. With your comfort and job our main focus, the T-Link transforms how you work, advancing your safety and increasing productivity.

Your ability to see has been at the forefront of our design process, with the T-Link boasting a large visor that enables you to easily connect with your surroundings. This is further supported by our Tychem® hood that securely attaches to the headtop, ensuring your downward and peripheral vision is never compromised. The soft breathable inner-bib and extra tuck-in collar ensures maximized comfort and helps to direct air down your body for cooling.

Fitted with a padded headliner and head suspension system, the headtop's weight is evenly distributed to enhance your experience of comfort, relieving you of aches and strains on your neck. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on the task at hand.

The T-Link offers superior protection in all key areas:



Protecting you for life's best moments.




Features & Benefits

Air flow and distribution is fully adjustable with the air deflector system to suit personal preference. ■

Padded headliner supports weight distribution while relieving you of the effects of any pressure points. ■

The optional Comfort-Link™ system provides extra comfort and stability providing optimum weight distribution.



Head suspension system can be adjusted for height and distance from the visor to support all head sizes and shapes. ■

Large viewing window for exceptional downward and peripheral vision. ■

Optically clear peel-off and cassette lenses available.

Optional ANSI Z87 approved safety lens (EN166). ■

Fixed lens frame ensures the lens will never hit your nose or optical aids being used. ■

■ Option of bump cap or ANSI Z89.1 hard hat protection (EN397).

■ Adjustable ratchet system ensures a customized fit that supports movement, while increasing comfort and productivity.

■ Breathing tube easily attaches to respirator and swivels to eliminate tangles.

Centralized location ensures even weight distribution.

■ Two cape materials available: DuPont™ Tychem® 2000, DuPont™ Tychem® 4000.

■ Soft, breathable inner-bib and long tuck-in collar for extra protection and upper body air flow.



All parts can be purchased individually for ease of maintenance and servicing.



Protecting you for life's best moments.

For more information visit rpbsafety.com/t-link

Certifications

ISO9001
CERTIFIED COMPANY

NIOSH
National Institute for Occupational Safety and Health
PAPR & SAR Type C

ANSI
S3.19
HEARING PROTECTION
Only in conjunction with 18-533 earmuffs.

Z89.1
HARD HAT PROTECTION
Type 1 Class C
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

Z87
EYE & FACE PROTECTION
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

PRODUCT CERTIFICATION



BSI Certified Product
AS/NZS 1716:2012
BMP# 714303
RESPIRATORY PROTECTION

AS/NZS 1801:1997
BMP# 714306
HARD HAT PROTECTION
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

AS/NZS 1337.1:2010
BMP# 714304
EYE & FACE PROTECTION
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

CE 2797
UK 0086

EN14594:2005 3B
EN12941:1998 +A2:2008
TH3 P R SL
RESPIRATORY PROTECTION

EN352-3:2002
HEARING PROTECTION
Only in conjunction with 18-533 earmuffs.

EN397:2012+A1:2012
HARD HAT PROTECTION
Conforms to impact and optional clauses. Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

EN812:2012
BUMP CAP PROTECTION
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.

EN166:2001 CLASS 1F3
EYE & FACE PROTECTION
Not all configurations conform to this standard. Please visit rpbsafety.com for more details.



Build Your RPB® T-Link® Respirator

Note: Not all configurations may be available in your region.

1 Choose Your Headtop



→ T-Link Bump Cap



→ T-Link Hard Hat

2 Choose Your Cape



→ Tychem® 2000
Includes tuck-in double bib.



→ Tychem® 4000 with Sealed Seams
Includes tuck-in double bib.



→ Tychem® 4000 Extra Length with Sealed Seams, 0.40 Lens
Includes tuck-in double bib.

3 Choose Your Air Supply



→ PX5® (PAPR)
HEPA, OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P gas cartridges/filters available.



→ HX5™ (PAPR)
HEPA filters available.



→ C40™ Climate Control Device (SAR)

4 Choose Your Upgrades



→ Vision-Link™ 650 lumen helmet lighting system



→ Comfort-Link™ Side padding system
Comes standard with CE Headtop.



→ Peel-off Lens
Available in packs of 25.



→ Clear-Vision Cassette Lens
7 layers. Available in packs of 10.



→ Tychem® Hose Cover
Breathing tube not included.



→ Comms-Link™ In-helmet communication system

BUILD & PRICE
YOUR RESPIRATOR

Visit rpb-safety.com/t-link/build
or give us a call
1-866-494-4599



Protecting you for life's best moments.

RPB® T200™ RESPIRATOR

Protection designed for movement.

The RPB T200 supports true freedom of movement in your application, allowing you to navigate your surroundings without any restrictions. Designed for function, comfort and durability, the T200 ensures your protection so you can focus on the job at hand.

Made for customization, the T200's head harness features multiple adjustment points, allowing you to change the fitting to suit the contours and shape of your head. Through the secure fit and streamlined framework, the T200 maximizes stability, relieving you of aches and strains on your neck and the effects of fatigue.

With the large clear visor, experience an uncompromised field of view, allowing for greater precision and accuracy with your work. The T200 also features an adjustable lens and air duct positioning to accommodate for different facial features and the use of prescription lens glasses.

Get more out of your role with respiratory protection that supports, not restricts you. Experience more with RPB.

The T200 offers superior protection in all key areas:



Respiratory



Eye



Face/Neck



Protecting you for life's best moments.

Features & Benefits

Moveable lens and airduct positioning to accommodate for different facial features and optical aids. ■

Large viewing window for exceptional downward and peripheral vision allowing for both verbal and non-verbal communication. ■

Optional peel-off lenses are available to protect visor lens and to quickly clear your field of view.

All parts can be purchased individually for ease of maintenance and servicing.

Soft inner neck seal for extra comfort. ■

DuPont™ Tychem® 2000 available in face seal, medium and full length hood options. Full length hood also available in DuPont™ Tychem® 4000. ■

Full length hoods have tuck-in double bib system to allow one to be tucked in for extra protection.

■ Deconable head suspension system and disposable hood.

■ Customizable head suspension system includes an adjustable ratchet at the back and over-the-head straps to allow for a secure, individualized fit.



Shown without cape for marketing purposes only >>

■ Breathing tube easily attaches to respirator and swivels to eliminate tangles. Centralized location ensures even weight distribution. Tychem® breathing tube cover available to increase its life and to make cleaning easier.



Protecting you for life's best moments.

For more information visit rpbsafety.com/t200

Certifications

ISO9001
CERTIFIED COMPANY

NIOSH
National Institute for Occupational Safety and Health
PAPR & SAR Type C

ANSI
S3.19
HEARING PROTECTION
Only in conjunction with 18-524 earmuffs.

Z87
EYE & FACE PROTECTION
Not all configurations conform to this standard.
Please visit rpbsafety.com for more details.

PRODUCT CERTIFICATION

BSI Certified Product
AS/NZS 1716:2012
BMP# 714303
RESPIRATORY PROTECTION

AS/NZS 13371:2010
BMP# 714304
EYE & FACE PROTECTION
Not all configurations conform to this standard.
Please visit rpbsafety.com for more details.

CE 2797
UK 0086

EN12941:1998 +A2:2008
TH3 P R SL
RESPIRATORY PROTECTION

EN352-1:2002
HEARING PROTECTION
Only in conjunction with 18-524 earmuffs.

EN166:2001 CLASS 1F3
EYE & FACE PROTECTION
Not all configurations conform to this standard.
Please visit rpbsafety.com for more details.



Build Your RPB® T200™ Respirator

Note: Not all configurations may be available in your region.

Your Headtop



1 Choose Your Cape



→ Tychem® 2000 Face Seal



→ Tychem® 2000 Shoulder Length Hood with Face Seal



→ Tychem® 2000 (or 4000 with Sealed Seams) Full Hood with Neck Seal
Includes tuck-in double bib.

2 Choose Your Air Supply



→ PX5® (PAPR)
HEPA, OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P gas cartridges/filters available.



→ HX5™ (PAPR)
HEPA filters available.



→ C40™ Climate Control Device (SAR)



→ Constant Flow Valve (SAR)

3 Choose Your Upgrades



→ Tychem® Hose Cover
Breathing tube not included.



→ Bump Cap
Available with comfort and brow pad, and front strap.



→ Clear-Vision Cassette Lens
7 layers. Available for full length hoods, in packs of 10.



→ Clear-Vision Cassette Lens
7 layers. Available for face seal hoods, in packs of 10.



→ Peel-off Lens
Available in packs of 25.



→ Quiet-Slim™ Earmuffs

BUILD & PRICE YOUR RESPIRATOR

Visit rpbsafety.com/t200/build
or give us a call
1-866-494-4599

DISTRIBUTED BY:
Sedulitas
PEOPLE | PASSION | PRECISION
info@sedulitas.co.za +27 (0)82 551 4001
www.sedulitas.co.za



Protecting you for life's best moments.